

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

VELTEK ASSOCIATES, INC. Date of issue: 11/24/2011 Revision date: 08/18/2014 Supersedes: 11/24/2011

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : DECON-AHOL WFI Formula
Product code : VEL-104-NONAEROSOL

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Decontaminant

1.3. Details of the supplier of the safety data sheet

Veltek Associates, Inc. 15 Lee Blvd Malvern, PA 19355-1234 USA T +1 610-644-8335 - F +1 610-644-8336 vai@sterile.com

1.4. Emergency telephone number

Emergency number : CARECHEM 24 call: 1-866-928-0789

#### **SECTION 2: Hazards identification**

Appearance : Clear liquid. Emergency overview : WARNING

Flammable liquid and vapor. Causes eye irritation. Prolonged or repeated contact may

Version: 2.0

dry skin and cause irritation. May cause central nervous system effects.

OSHA regulatory status : This product is considered hazardous under 29 CFR 1910.1200 (Hazard

Communication).

Potential health effects

Routes of exposure : Inhalation. Ingestion. Skin contact. Eye contact.

Eyes : Causes eye irritation.

Skin Prolonged or repeated contact may dry skin and cause irritation. Defats the skin.

Inhalation : Vapors may cause drowsiness and dizziness. May cause central nervous system

effects.

Ingestion : Swallowing or vomiting of the liquid may result in aspiration into the lungs. Be aware

that symptoms of chemical pneumonia (shortness of breath) may occur several hours

after exposure.

Target organs : Eyes. Skin. Respiratory system. Central nervous system.

Chronic effects : None known.

Signs and symptoms : Corneal damage. Conjunctivitis. Defatting of the skin. Rash. Irritation. Symptoms can

include irritation, redness, scratching of the cornea, and tearing. Drowsiness and

dizziness.

Potential environmental effects

The product components are not classified as environmentally hazardous. However,

this does not exclude the possibility that large or frequent spills can have a harmful or

damaging effect on the environment.

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substance

Not applicable

08/18/2014 EN (English US) Page 1

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 3.2. Mixture

Name	Product identifier	%
Propan-2-ol	(CAS No) 67-63-0	68.0 - 72.0

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation

: Remove to fresh air and keep at rest in a position comfortable for breathing. If symptoms develop

obtain medical attention.

First-aid measures after skin contact

: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. If symptoms develop obtain medical attention.

First-aid measures after eye contact

: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If symptoms develop obtain medical attention.

First-aid measures after ingestion

: Get immediate medical attention. Rinse mouth. Do NOT induce vomiting. Do not give an

unconscious person anything to drink.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation

: May cause drowsiness or dizziness.

Symptoms/injuries after skin contact

: Repeated and/or prolonged skin contact may cause irritation.

Symptoms/injuries after eye contact : Causes eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

suitable extinguishing media

: Dry powder. Carbon dioxide. Alcohol resistant foam.

Unsuitable extinguishing media

: Do not use a heavy water stream.

# 5.2. Special hazards arising from the substance or mixture

Fire hazard

: Highly flammable liquid and vapor.

Explosion hazard

 $: \ \ \text{May form flammable/combustible vapour-air mixture when heated.}$ 

Reactivity

: Stable under normal conditions.

#### 5.3. Advice for firefighters

Firefighting instructions

: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting

: Do not enter fire area without proper protective equipment, including respiratory protection. Use self-contained breathing apparatus when in close proximity to fire.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures

: Remove ignition sources. Ensure adequate ventilation.

### 6.1.1. For non-emergency personnel

**Emergency procedures** 

: Evacuate unnecessary personnel.

# 6.1.2. For emergency responders

Protective equipment

: Equip cleanup crew with proper protection.

Emergency procedures

: Ensure adequate ventilation. Avoid inhalation of vapors.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

#### 6.4. Reference to other sections

SECTION 8: Exposure controls/personal protection. SECTION 13: Disposal considerations.

08/18/2014 EN (English US) 2/7

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## SECTION 7: Handling and storage

#### Precautions for safe handling

Additional hazards when processed

: Handle empty containers with care because residual vapors are flammable.

Precautions for safe handling

Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. No naked lights. No smoking. Use only non-sparking tools. Take precautionary measures

against static discharge.

: Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Hygiene measures

### Conditions for safe storage, including any incompatibilities

Technical measures

: Keep away from open flames, hot surfaces and sources of ignition.

Storage conditions

Keep only in the original container in a cool, well ventilated place away from : Incompatible

materials. Keep in fireproof place. Keep container tightly closed.

Incompatible products

Strong bases. Strong acids. Sources of ignition. Direct sunlight. Heat sources. Oxidizing

materials, combustible materials, halogens, peroxides and metal salts.

#### Specific end use(s)

Decontaminant.

# SECTION 8: Exposure controls/personal protection

#### **Control parameters** 8.1.

Propan-2-ol (67-63-0)		
USA ACGIH	ACGIH TWA (ppm)	200 ppm
USA ACGIH	ACGIH STEL (ppm)	400 ppm
USA ACGIH	Remark (ACGIH)	Eye & URT irr; CNS impair
USA OSHA	OSHA PEL (TWA) (mg/m³)	980 mg/m³
USA OSHA	OSHA PEL (TWA) (ppm)	400 ppm

### **Exposure controls**

Appropriate engineering controls

: Ensure adequate ventilation. Emergency eye wash fountains and safety showers should be

available in the immediate vicinity of any potential exposure.

Personal protective equipment

Avoid all unnecessary exposure. Wash hands thoroughly after handling.

Hand protection

Wear chemically resistant protective gloves.

Eye protection

Goggles.

Skin and body protection

: Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation: Use an approved air purifying respirator to control exposure. Follow respirator protection requirements (OSHA 1910.134 and ANSI Z88.2) for all respirator

Thermal hazard protection

: Not required for normal conditions of use.

Environmental exposure controls

Contain any spills with dikes or absorbents to prevent migration and entry into sewers or

Other information

Do not eat, drink or smoke during use. Do not breathe Vapors. Do not eat, drink or smoke when using this product.

### **SECTION 9: Physical and chemical properties**

#### Information on basic physical and chemical properties

Physical state : Liquid **Appearance** Clear. Color Colorless Odor : mild;alcohol Odor threshold No data available 5.5 - 7.5 Relative evaporation rate (butyl acetate=1) : No data available

Melting point : Not applicable Freezing point : Not applicable Boiling point : 180.5 °F (82.5 °C) : 64.9 °F (18.3 °C) Flash point

08/18/2014 EN (English US) 3/7

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Self ignition temperature : 750.2 °F (399 °C)

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapor pressure : 3.7 - 4.1 kPa @ 20°C (Propan-2-ol)
Relative vapor density at 20 °C : 1.6 Relative density, gas (air=1)

Relative density : No data available
Density : 0.84 - 0.87 g/cm³

Solubility : Miscible.

Log Pow : No data available
Log Kow : No data available
Viscosity, kinematic : No data available

Viscosity, dynamic : 2.1 cP @ 25°C (Propan-2-ol)

Explosive properties : No data available
Oxidizing properties : No data available
Explosive limits : 2.5 - 12 vol %

#### 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Stable under normal conditions.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Combustible when heated.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame.

### 10.5. Incompatible materials

Strong acids. Strong bases. Oxidizing agents. Halogens. Peroxides. Metallic salts.

### 10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide.

Respiratory or skin sensitization

Germ cell mutagenicity

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

Acute toxicity : Not classified

Propan-2-ol (67-63-0)	
LD50 oral rat	4396 mg/kg
LD50 dermal rat	12800 mg/kg
LC50 inhalation rat (mg/l)	72.6 mg/l/4h

Skin corrosion/irritation : Not classified

pH: 5.5 - 7.5

Serious eye damage/irritation : Causes serious eye irritation.

pH: 5.5 - 7.5
: Not classified
: Not classified

Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Propan-2-ol (67-63-0)	
IARC group	3 - Not classifiable

08/18/2014 EN (English US) 4/7

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Reproductive toxicity : Not classified

Based on available data, the classification criteria are not met

Specific target organ toxicity (single exposure) : May cause drowsiness or dizziness.

Specific target organ toxicity (repeated

exposure)

: Not classified

Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

Based on available data, the classification criteria are not met

Potential Adverse human health effects and

symptoms

Harmful if swallowed.

Symptoms/injuries after inhalation : May cause drowsiness or dizziness.

Symptoms/injuries after skin contact : Repeated and/or prolonged skin contact may cause irritation.

Symptoms/injuries after eye contact : Causes eye irritation.

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Propan-2-ol (67-63-0)	
LC50 fish	4200 mg/l 96 h
LC50 other aquatic organisms	1400 mg/l 48 h (Crustaceans)

### 12.2. Persistence and degradability

DECON-AHOL WFI Formula	
Persistence and degradability	Rapidly degradable.

### 12.3. Bioaccumulative potential

DECON-AHOL WFI Formula	
Bioaccumulative potential	Low bioaccumulation potential.
Propan-2-ol (67-63-0)	
Bioconcentration factor (BCF REACH)	3

### 12.4. Mobility in soil

DECON-AHOL WFI Formula	
Ecology - soil	Very mobile.

#### 12.5. Other adverse effects

Other information : Avoid release to the environment.

### **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of this material

and its container to hazardous or special waste collection point.

Additional information : Handle empty containers with care because residual vapors are flammable.

Ecology - waste materials : Avoid release to the environment.

# **SECTION 14: Transport information**

In accordance with DOT

UN-No.(DOT) : 1219
DOT Proper Shipping Name : Isopropanol

Department of Transportation (DOT) Hazard

Classes

: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Hazard labels (DOT) : 3 - Flammable liquid



08/18/2014 EN (English US) 5/7

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Packing group (DOT) : II - Medium Danger

DOT Packaging Exceptions (49 CFR 173.xxx) : 4b;150
DOT Packaging Non Bulk (49 CFR 173.xxx) : 202
DOT Packaging Bulk (49 CFR 173.xxx) : 242

#### Transport by sea

UN-No. (IMDG) : 1219
Proper Shipping Name (IMDG) : Isopropanol

Class (IMDG) : 3 - Flammable liquids

Packing group (IMDG) : II - substances presenting medium danger

#### Air transport

UN-No.(IATA) : 1219
Proper Shipping Name (IATA) : Isopropanol

Class (IATA) : 3 - Flammable Liquids
Packing group (IATA) : II - Medium Danger

# **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

This chemical is a pesticide product registered by the United States Environmental Protection Agency (68959-2) and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below in Section 16. The pesticide label also includes other important information, including directions for use.

Propan-2-ol (67-63-0)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Listed on United States SARA Section 313

SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard
Clean Air Act (CAA) Section 112 Hazardous Air Pollutants List	Not regulated
US EPCRA (SARA Title III) Section 313 - Toxic Chemical: De minimis concentration	Isopropyl alcohol 1.0%
US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance	Isopropyl alcohol
CERCLA (Superfund) reportable quantity (lbs) (40 CFR 302.4)	Isopropyl alcohol: 100
TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)	Not regulated

### 15.2. International regulations

#### CANADA

DECON-AHOL WFI Formula	
WHMIS Classification	Class B Division 2 - Flammable Liquid Class D Division 2 Subdivision B - Toxic material causing other toxic effects

# 15.2.2. National regulations

No additional information available

## **DECON-AHOL WFI Formula**

Drug Enforcement Administration (DEA) (21 CFR1308.11-15): Not controlled

08/18/2014 EN (English US) 6/7

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 15.3. US State regulations

US - California Hazardous Substances (Director's): Listed substance Isopropyl alcohol (CAS 67-63-0) Listed.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance Not listed.

US - New Jersey RTK - Substances: Listed substance Isopropyl alcohol (CAS 67-63-0) Listed.

US. Massachusetts RTK - Substance List Isopropyl alcohol (CAS 67-63-0) Listed.

### **SECTION 16: Other information**

Revision date : 08/18/2014

Other information : This product is registered by the United States Environmental Protection Agency

under number 68959-2. The hazard classification assigned by the US EPA is:

DANGER FLAMMABLE

Keep away from heat or open flame.

Store at room temperature below 48.8°C (120°F).

NFPA health hazard : 1 - Exposure could cause irritation but only minor residual


injury even if no treatment is given.

NFPA fire hazard : 3 - Liquids and solids that can be ignited under almost all

ambient conditions.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions,

and are not reactive with water.



#### **HMIS III Rating**

Health : 1\* Slight Hazard - Irritation or minor reversible injury possible,\* Chronic Hazard - Chronic (long-

term) health effects may result from repeated overexposure

Flammability : 3 Serious Hazard
Physical : 0 Minimal Hazard

Personal Protection : G

SDS US (GHS HazCom 2012)

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Veltek Associates, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Veltek Associates, Inc. accepts no liability for loss or damage resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

08/18/2014 EN (English US) 7/7